

Material Safety Data Sheet: PREMALUBE XTREME #2 (400#)

Supersedes Date 05/16/2008

Issuing Date 09/01/2009

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PREMALUBE XTREME #2 (400#)
Recommended Use Lubricant
Information on Manufacturer
CERTIFIED LABS, DIV. OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code 412J
Chemical Nature mixture
Emergency Telephone Number
CHEMTREC ® 800-424-9300

2. HAZARDS IDENTIFICATION**Emergency Overview**

Warning
Severe eye irritation
May be harmful if swallowed
May cause skin irritation
May cause allergic skin reaction

Color Black**Physical State** Grease**Odor** Oily**Potential Health Effects****Principle Route of Exposure**

Eye contact, Skin contact.

Primary Routes of Entry

Skin Absorption

Acute Effects**Eyes**

May cause irreversible eye damage. Severe eye irritant.

Skin

Repeated exposure may cause skin dryness or cracking. May cause skin irritation. May cause allergic skin reaction.

Inhalation

May cause irritation of respiratory tract.

Ingestion

May be harmful if swallowed.

Chronic Toxicity

May cause skin sensitization in some individuals, Kidney injury may occur.

Target Organ Effects

Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Bone Marrow.

Aggravated Medical Conditions

Skin disorders, Respiratory disorders.

Potential Environmental Effects

See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Calcium Carbonate	1317-65-3
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	64741-88-4
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5
Polyalpha olefin	68649-12-7
Hexylene glycol	107-41-5
Tricalcium phosphate	1306-06-5
Calcium acetate carbonate hydrogenated castrol fatty acid	68307-88-0
Calcium stearate soap	68608-31-1
Molybdenum disulfide	1317-33-5

The product contains no substances which at their given concentration, are considered to be hazardous to health

4. FIRST AID MEASURES**General Advice**

Avoid contact with skin, eyes, and clothing. Avoid breathing vapors, mist, or gas.

Eye Contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.

Skin Contact

Get medical attention if irritation develops and persists. Wash off with soap and plenty of water. Wash contaminated clothing before re-use. Wipe up with absorbent material (e.g. cloth, fleece).

Inhalation

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Flash Point** 490°F/254°C**Method**

open cup

Autoignition Temperature No information available.**Flammability Limits in Air %** No information available.**Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Alcohol-resistant foam.

Specific Hazards Arising from the Chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA**Health** 2**Flammability** 1**Instability** 0**HMIS****Health** 2**Flammability** 1**Instability** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not allow material to contaminate ground water system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors, mist or gas.			
Storage	Keep container tightly closed in a dry and well-ventilated place. Store in original container.			
Storage Temperature	Minimum	0°F/-18°C	Maximum	150°F/66°C
Storage Conditions	Indoor	X	Outdoor	X
			Heated	X
			Refrigerated	X

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Calcium Carbonate	No data available	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ STEL: 10 mg/m ³ TWA: 5 mg/m ³
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Polyalpha olefin	No data available	No data available	No data available
Hexylene glycol	Ceiling: 25 ppm	No data available	Ceiling: 125 mg/m ³ Ceiling: 25 ppm
Tricalcium phosphate	No data available	No data available	No data available
Calcium acetate carbonate hydrogenated castor fatty acid	No data available	No data available	No data available
Calcium stearate soap	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 15 mg/m ³	IDLH: 5000 mg/m ³

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/Face Protection	Tightly fitting safety goggles.
Skin Protection	Impervious gloves, Wear suitable protective clothing.
Respiratory Protection	None under normal processing.
General Hygiene Considerations	Ensure that eyewash stations and safety showers are close to the workstation location. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Grease	Viscosity	Semi-Solid
Color	Black	Odor	Oily
Appearance	Opaque	pH	Not applicable
Specific Gravity	1.01	Evaporation Rate	0 (Butyl acetate=1)
Percent Volatile (Volume)	2.1	VOC Content (%)	1.9
VOC Content (g/l)	19	Vapor Pressure	<0.01 mmHg @ 70 °F
Vapor Density	5.4 (Air = 1.0)	Solubility	Negligible
Boiling Point/Range	550°F/288°C		

10. STABILITY AND REACTIVITY

Chemical Stability	Hazardous polymerization does not occur. Stable.
Conditions to Avoid	Heat, flames, and sparks.
Incompatible Products	Strong oxidizing agents, Strong acids.
Hazardous Decomposition Products	Carbon oxides, Nitrogen oxides (NOx), Oxides of phosphorus, Sulfur oxides.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information	No information available.
----------------------------	---------------------------

Component Information
Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Calcium Carbonate	no data available	no data available	no data available	no data available	no data available

Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	2.18 mg/L (Rat) 4 h	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Polyalpha olefin	no data available	no data available	no data available	no data available	no data available
Hexylene glycol	3692 mg/kg (Rat)	8560 µL/kg (Rabbit)	310 mg/m ³ (Rat) 1 h	no data available	no data available
Tricalcium phosphate	25350 mg/kg (Rat)	no data available	no data available	no data available	no data available
Calcium acetate carbonate hydrogenated castrol fatty acid	no data available	no data available	no data available	no data available	no data available
Calcium stearate soap	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	2820 mg/m ³ (Rat) 4 h	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Calcium Carbonate	no data available	no data available	no data available	no data available	respiratory system, skin, eyes
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Polyalpha olefin	no data available	no data available	no data available	no data available	no data available
Hexylene glycol	no data available	skin sensitization	no data available	no data available	eyes, skin, respiratory system, CNS
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Calcium acetate carbonate hydrogenated castrol fatty acid	no data available	no data available	no data available	no data available	no data available
Calcium stearate soap	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Other
Calcium Carbonate	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Styrene-Ethylene/Propylene Block Copolymer	not applicable	not applicable	not applicable	not applicable	not applicable
Polyalpha olefin	not applicable	not applicable	not applicable	not applicable	not applicable
Hexylene glycol	not applicable	not applicable	not applicable	not applicable	not applicable
Tricalcium phosphate	not applicable	not applicable	not applicable	not applicable	not applicable
Calcium acetate carbonate hydrogenated castrol fatty acid	not applicable	not applicable	not applicable	not applicable	not applicable
Calcium stearate soap	not applicable	not applicable	not applicable	not applicable	not applicable
Molybdenum disulfide	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION**Product Information**

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Calcium Carbonate	no data available	no data available	no data available	no data available	N/A
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	no data available	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L	no data available	48 Hr EC50 Daphnia magna: >1000 mg/L	N/A
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A
Polyalpha olefin	no data available	no data available	no data available	no data available	N/A
Hexylene glycol	no data available	96 Hr LC50 Pimephales promelas: 10500-11000 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 10000 mg/L [static]; 96 Hr LC50 Pimephales promelas: 8690 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 10700 mg/L [static]	EC50 = 3038 mg/L 5 min	48 Hr EC50 Daphnia magna: 3200 mg/L	0.14
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A
Calcium acetate carbonate hydrogenated castrol fatty acid	no data available	no data available	no data available	no data available	N/A
Calcium stearate soap	no data available	no data available	no data available	no data available	N/A
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. REGULATORY INFORMATION**Inventories**

TSCA	Complies
DSL	Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Calcium Carbonate	Not applicable	Not applicable
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable
Polyalpha olefin	Not applicable	Not applicable
Hexylene glycol	Not applicable	Not applicable
Tricalcium phosphate	Not applicable	Not applicable
Calcium acetate carbonate hydrogenated castrol fatty acid	Not applicable	Not applicable
Calcium stearate soap	Not applicable	Not applicable
Molybdenum disulfide	Not applicable	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials

**16. OTHER INFORMATION**

Prepared By	Kristen Stansbury
Supersedes Date	05/16/2008
Issuing Date	09/01/2009
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.