# Safety Data Sheet PREMALUBE XTREME #2

Supercedes Date 06/06/2014

Issuing Date 04/08/2016

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PREMALUBE XTREME #2 Recommended use Lubricant Information on Manufacturer CERTIFIED LABS, DIV. OF NCH CORP.

BOX 152170 IRVING, TEXAS 75015 Product Code 412J Chemical nature Mixture Emergency Telephone Number CHEMTREC® 800-424-9300 Telephone inquiry 972-579-2477

# 2. HAZARD IDENTIFICATION

Color Dark gray - Black Physical state Semi-Solid Odor Oily

**GHS** 

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2B

Other hazards

None

Labeling Signal Word

WARNING

<u>Hazard statements</u> H320 - Causes eye irritation Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

<sup>1 %</sup> of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS					
Component	CAS No.	Weight % *			
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	64742-65-0	10-30			
Residual oils (petroleum), solvent refined (<3% DMSO extractable)	64742-01-4	7-13			
Residual oils (petroleum), solvent dewaxed (<3% DMSO extractable)	64742-62-7	7-13			
Calcium carbonate	1317-65-3	5-10			
Polyalphaolefin	68037-01-4	1-5			
Molybdenum disulfide	1317-33-5	1-5			
·					

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

**General advice** Avoid contact with skin, eyes and clothing.

Eye Contact Rinse the eyes with water. Remove any contact lenses and continue flushing with plenty of water for

several minutes. Seek medical attention if irritation develops.

Skin Contact Wash affected areas with plenty of soap and water for several minutes. Seek medical attention if

irritation develops.

Inhalation Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if

breathing becomes difficult.

Ingestion Give 3 to 4 glasses of water, but DO NOT induce vomiting. If vomiting occurs, give fluids again. Seek

medical attention if discomfort occurs.

Notes to physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Flash Point 396 °F / 202 °C Method Open cup

Flammability Limits in Air %: No information available. Upper: No data available Lower: No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Specific hazards arising from the chemical

Material can create slippery conditions.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 2 Flammability 1 Instability 0
HMIS Health 2 Flammability 1 Instability 0

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

**Environmental Precautions**Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent Not applicable.

### 7. HANDLING AND STORAGE

**Handling** Avoid contact with skin, eyes and clothing.

StorageStore in original container. Keep container tightly closed in a dry and well-ventilated place.Storage TemperatureMinimum0 °F / -18 °CMaximum151 °F / 66 °CStorage ConditionsIndoorXOutdoorXHeatedXRefrigeratedX

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	No data available
Residual oils (petroleum), solvent refined (<3% DMSO extractable)	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	No data available
Calcium carbonate	No data available	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
Molybdenum disulfide	TWA: 10 mg/m <sup>3</sup> inhalable fraction	TWA: 15 mg/m <sup>3</sup> total dust	No data available
	TWA: 3 mg/m <sup>3</sup> respirable fraction		

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should

be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection Tightly fitting safety goggles.
Skin Protection Wear suitable protective clot

**Skin Protection**Wear suitable protective clothing, Impervious gloves. **Respiratory Protection**In case of insufficient ventilation wear suitable respira

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Semi-Solid Viscosity Semi-viscous Color Dark gray - Black Odor Oily **Odor Threshold** Not applicable **Appearance** Opaque На Not applicable Specific Gravity 1.01 **Evaporation Rate** 0 (Butyl acetate=1) Percent Volatile (Volume) 0 VOC Content (%) VOC Content (g/L) 0

Vapor Pressure <0.01 mmHg @ 70°F Vapor Density 0 (Air = 1.0)n-Octanol/Water Partition Solubility Negligible No data available Melting Point/Range **Decomposition Temperature** No data available No data available **Boiling Point/Range** 550 °F / 288 °C Flammability (solid, gas) No data available Flash Point 396 °F / 202 °C Method Open cup

Autoignition Temperature No information available.

Flammability Limits in Air %: No information available. Upper: No data available Lower: No data available

### 10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known.

Incompatible Products Strong oxidizing agents, Strong acids.

Decomposition Temperature No data available

Hazardous Decomposition Products Carbon oxides, Nitrogen oxides (NOx), Oxides of phosphorus, Sulfur

oxides.

Possibility of Hazardous Reactions

None under normal processing.

# 11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

**Oral LD50** 1,276.00

Dermal LD50 No information available

Inhalation LC50

Gas No information available
Mist No information available
Vapor No information available

Principle Route of Exposure Eye contact, Skin contact.

Primary Routes of Entry Skin Absorption.

Acute Effects:

EyesCauses eye irritation.SkinMay cause skin irritation.

**Inhalation** May cause irritation of respiratory tract.

**Ingestion** May be harmful if swallowed.

Chronic Toxicity Prolonged skin contact may defat the skin and produce dermatitis.

Target Organ EffectsNo information available.Aggravated Medical ConditionsNo information available.

Component Information

**Acute Toxicity** 

route routery					
Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Petroleum distillates, solvent	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	no data available	No data available	No data available
dewaxed heavy paraffinic					
(<3% DMSO extractable)					
64742-65-0					
Residual oils (petroleum),	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h	No data available	No data available
solvent refined (<3% DMSO					
extractable)					
64742-01-4					
Residual oils (petroleum),	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L (Rat) 4 h	No data available	No data available
solvent dewaxed (<3% DMSO					
extractable)					
64742-62-7					
Calcium carbonate	6450 mg/kg ( Rat )	no data available	no data available	No data available	No data available
1317-65-3					
Polyalphaolefin	> 5000 mg/kg ( Rat )	> 2000 mg/kg (Rat)	> 5.2 mg/l ( Rat )	No data available	No data available
68037-01-4					
Molybdenum disulfide	No data available	no data available	> 2820 mg/m <sup>3</sup> ( Rat ) 4 h	No data available	No data available
1317-33-5			= ====g, (   (   (   (   (   (   (   (   (		

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Calcium carbonate 1317-65-3	No data available	No data available	No data available	No data available	Skin Eyes Respiratory system

**Carcinogenicity** There are no known carcinogenic chemicals in this product.

# 12. ECOLOGICAL INFORMATION

Product Information
Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow

Petroleum distillates, solvent dewaxed heavy paraffinic (<3%		LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	No information available	1000: 48 h Daphnia magna mg/L EC50	N/A
DMSO extractable)		-			
Residual oils (petroleum), solvent	No information available.	LC50 > 5000 mg/L Oncorhynchus	No information available	1000: 48 h Daphnia	N/A
refined (<3% DMSO extractable)		mykiss 96 h		magna mg/L EC50	
Residual oils (petroleum), solvent	No information available.	LC50 > 5000 mg/L Oncorhynchus	No information available	1000: 48 h Daphnia	N/A
dewaxed (<3% DMSO extractable	)	mykiss 96 h		magna mg/L EC50	

Persistence and Degradability

Bioaccumulation

Mobility

No information available.

No information available.

No information available.

# 13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

#### 15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Complies

**U.S. Federal Regulations** 

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

	•					
Acute Health Hazard Chronic Health Hazard		Fire Hazard	Sudden Release of	Reactive Hazard		
				Pressure Hazard		
	Yes	No	No	No	No	

CERCLA

### 16. OTHER INFORMATION

Prepared By
Supercedes Date
06/06/2014
Issuing Date
Laura Strauss
06/06/2014
04/08/2016

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CERTIFIED LABS, DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.