

Version 3.0

Revision Date 08/31/2015

Print Date 04/28/2016

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP I D RED AERO DZ
Material number	:	00000000000009601
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

#### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a compressed gas
Colour	clear
Odour	hydrocarbon-like

#### **GHS** Classification

Flammable aerosols Gases under pressure Skin irritation Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure (Inhalation)	<ul> <li>Category 1</li> <li>Compressed gas</li> <li>Category 2</li> <li>Category 2</li> <li>Category 1</li> <li>Category 3 (Central nervous system)</li> <li>Category 2</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H315 Causes skin irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>



# ZEP I D RED AERO DZ

sion 3.0	Revision Date 08/31/2015	Print Date 04/28/2016
	H361 Suspected of damaging fer H370 Causes damage to organs. H373 May cause damage to orga repeated exposure if inhaled.	
Precautionary statements	<ul> <li>Prevention: P201 Obtain special instructions P202 Do not handle until all safe and understood. P210 Keep away from heat/spark No smoking. P211 Do not spray on an open fl P251 Pressurized container: Do use. P260 Do not breathe dust/fume/ P264 Wash skin thoroughly after P270 Do not eat, drink or smoke P271 Use only outdoors or in a v P280 Wear protective gloves. P281 Use personal protective eq <b>Response:</b> P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALEI and keep at rest in a position cor POISON CENTER or doctor/ phy P307 + P311 IF exposed: Call a physician. P332 + P313 If skin irritation occ attention. P362 Take off contaminated clot <b>Storage:</b> P403 + P233 Store in a well-vent tightly closed. P405 Store locked up. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 <b>Disposal:</b> Dispose of contents/container in regulation.</li> </ul>	ty precautions have been reaks/open flames/hot surfaces. ame or other ignition source. not pierce or burn, even after gas/ mist/ vapours/ spray. handling. when using this product. vell-ventilated area. uppment as required. with plenty of soap and water D: Remove victim to fresh air nfortable for breathing. Call a visician if you feel unwell. POISON CENTER or doctor, urs: Get medical advice/ hing and wash before reuse. ilated place. Keep container ht. Do not expose to 122 °F.
Potential Health Effects Carcinogenicity:		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carci carcinogen by ACGIH.	
OSHA	No component of this product preser equal to 0.1% is identified as a carci carcinogen by OSHA.	-
NTP	No component of this product preser equal to 0.1% is identified as a know	nt at levels greater than or



## ZEP I D RED AERO DZ

Version 3.0

Print Date 04/28/2016

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 70 - < 90
ethanol	64-17-5	>= 5 - < 10
carbon dioxide	124-38-9	>= 1 - < 5
heptane	142-82-5	>= 1 - < 5
methanol	67-56-1	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Dry chemical Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.	-

Version 3.0



Print Date 04/28/2016

Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water mus be disposed of in accordance with local regulations.</li> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> <li>Use a water spray to cool fully closed containers.</li> </ul>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force



Version 3.0	Revision Date 08/31/2015	Print Date 04/28/2016
	or throw into fire even after use. D red-hot objects. No smoking. Keep in a dry, cool and well-ventila Observe label precautions. Electrical installations / working m the technological safety standards	ated place. aterials must comply with
Materials to avoid	: Keep away from oxidizing agents materials.	and strongly acid or alkaline

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
heptane	142-82-5	TWA	85 ppm 350 mg/m3	NIOSH REL
		С	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-1

#### Components with workplace control parameters



Version 3.0

Revision Date 08/31/2015

Print Date 04/28/2016

			260 mg/m3	
		STEL	250 ppm	OSHA P0
			325 mg/m3	
		TWA	200 ppm	OSHA P0
			260 mg/m3	
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm	NIOSH REL
			980 mg/m3	
		ST	500 ppm	NIOSH REL
			1,225 mg/m3	
		TWA	400 ppm	OSHA Z-1
			980 mg/m3	
		TWA	400 ppm	OSHA P0
			980 mg/m3	
		STEL	500 ppm	OSHA P0
			1,225 mg/m3	

#### Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling time	Permissible	Basis
	07.50.4	parameters	specimen		concentration	
Methanol	67-56-1	Methanol	Urine	End of	15 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
	100.000			ceases)		
METHYLBENZENE	108-88-3	Toluene	In blood	Prior to	0.02 mg/l	ACGIH BEI
				last shift		
				of		
				workwee		
				k		
METHYLBENZENE		Toluene	Urine	End of	0.03 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		
METHYLBENZENE		o-Cresol	Urine	End of	0.3 mg/g	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		
Remarks: Creatinine						
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		
Methanol	67-56-1	Methanol	Urine	End of	15 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		



# ZEP I D RED AERO DZ

Version 3.0

Revision Date 08/31/2015

Print Date 04/28/2016

				after exposure ceases)		
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipmer	nt
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: clear
Odour	: hydrocarbon-like
Odour Threshold	: No data available
рH	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: > 1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	: Extremely flammable aerosol.



# ZEP I D RED AERO DZ

Version 3.0	Revision Date 08/31/2015	Print Date 04/28/2016
Upper explosion limit	: 6.7 %(V)	
Lower explosion limit	: 1.2 %(V)	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.69 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: not determined	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 40.71 kJ/g	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Teactions	No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

#### SECTION 11. TOXICOLOGICAL INFORMATION

# Acute toxicity Product: Acute oral toxicity : Acute toxicity estimate : 3,584 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l



# ZEP I D RED AERO DZ

ZEF I D KED AEKU DZ		
Version 3.0	Revision Date 08/31/2015	Print Date 04/28/2016
	Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
ethanol:		
Acute oral toxicity	LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h	
heptane:		
Acute inhalation toxicity	: LC50 Rat: 103,000 mg/l Exposure time: 4 h	
propan-2-ol:		
Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	

# Skin corrosion/irritation

#### Product:

Remarks: Irritating to skin.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

Naphtha (petroleum), hydrotreated light: ethanol: carbon dioxide: heptane: methanol: propan-2-ol:

#### STOT - single exposure

No data available



Version 3.0

Revision Date 08/31/2015

Print Date 04/28/2016

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

#### No data available Bioaccumulative potential

Components: heptane : Partition coefficient: n- octanol/water	: log Pow: > 3.0
	log Pow: 5
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life., May cause long lasting harmful effects to aquatic life.



Version 3.0



Print Date 04/28/2016

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
toluene	108-88-3	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards : Sudden Release of Pressure Hazard Chronic Health Hazard Fire Hazard



ersion 3.0	Revision Date 08/31/2015	Print Da	te 04/28/201
	Acute Health Hazard		
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	he following components are subject to reporting levels stablished by SARA Title III, Section 313:		
	methanol	67-56-1 108-88-3	2.79 % 1.6936 %
California Prop 65	WARNING! This product contains a chemical known to the State of California to cause cancer.		
benzene	State of California to cause cancer.	71-43-2	
	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.		
methanol		67-56-1	
toluene		108-88-3	
benzene		71-43-2	


TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### SECTION 16. OTHER INFORMATION

#### **Further information**



#### HMIS III:

HEALTH	2*
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,

```
2 = Moderate, 3 = High
```

4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:



# ZEP I D RED AERO DZ

Version 3.0

Print Date 04/28/2016

Hazard pictograms	
Signal w ord Hazard statements	<ul> <li>Danger:</li> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drow siness or dizziness. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>
Precautionary statements	<ul> <li>Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke w hen using this product. Use only outdoors or in a w ell-ventilated area. Wear protective gloves. Use personal protective equipment as required.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse.</li> <li>Storage: Store in a w ell-ventilated place. Keep container tightly closed. Store locked up. Protect fromsunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	3.0
Revision Date:	08/31/2015
Print Date:	04/28/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.