

Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEPRESERVE NC AERO
Material number	:	0000000000031500
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	amber
Odour	solvent-like

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Eye irritation Skin sensitisation Carcinogenicity Specific target organ toxicity - single exposure	 Category 1 Compressed gas Category 2 Category 2A Category 1 Category 2 Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation.



sion 4.0	Revision Date 01/05/2018	Print Date 01/09/20
	H317 May cause an allergic skin	reaction.
	H319 Causes serious eye irritation	
	H336 May cause drowsiness or d	
	H351 Suspected of causing cance	er.
Precautionary statements	: Prevention:	
	P201 Obtain special instructions I	
	P202 Do not handle until all safety and understood.	y precautions have been re
	P210 Keep away from heat/spark No smoking.	s/open flames/hot surfaces
	P251 Pressurized container: Do r use.	not pierce or burn, even aft
	P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after	
	P271 Use only outdoors or in a w	
	P272 Contaminated work clothing	
	the workplace.	
	P280 Wear protective gloves/ pro	tective clothing/ eye
	protection/ face protection.	
	Response:	
	P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALED	: Remove person to fresh
	and keep comfortable for breathin	
	CENTER/doctor if you feel unwell P305 + P351 + P338 IF IN EYES	
	for several minutes. Remove cont easy to do. Continue rinsing.	•
	P308 + P313 IF exposed or conce attention.	erned: Get medical advice/
	P333 + P313 If skin irritation or ra advice/ attention.	sh occurs: Get medical
	P337 + P313 If eye irritation persi attention.	sts: Get medical advice/
	P362 Take off contaminated cloth Storage:	ning and wash before reuse
	P403 + P233 Store in a well-ventil tightly closed.	ated place. Keep containe
	P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12	
	Disposal:	
	P501: Dispose of contents/contain regulation.	iner in accordance with loc

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 20 - < 30
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20



Version 4.0 Revision Date 01/05/2018 Print Date 01/09/2018 ethanol 64-17-5 >= 5 - < 10 2-ethylhexan-1-ol 104-76-7 >= 5 - < 10 1,2,4-trimethylbenzene 95-63-6 >= 5 - < 10 Aromatic Hydrocarbons (C9 - C10) Not Assigned >= 1 - < 5 Distillates (petroleum), straight-run middle >= 1 - < 5 64741-44-2 2-(2-butoxyethoxy)ethanol 112-34-5 >= 1 - < 5 carbon dioxide 124-38-9 >= 1 - < 5 Solvent naphtha (petroleum), heavy aliph. >= 1 - < 5 64742-96-7 mesitylene 108-67-8 >= 1 - < 5 98-82-8 >= 0.1 - < 1 cumene ethylbenzene 100-41-4 >= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medic advice.	al
In case of skin contact	If skin irritation persists, call a physician. If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes.	
In case of eye contact	Remove contact lenses. Keep eye wide open while rinsing. Immediately flush eyes for at least 15 minutes. Get medic attention.	al
If swallowed	Keep respiratory tract clear. Take victim immediately to hospital. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	
Most important symptoms and effects, both acute and delayed	Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousne paralysis, and convulsions.	
	Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. Review section 2 of SDS to see all potential hazards.	
Notes to physician	Treat symptomatically. Symptoms may be delayed.	



Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Do not breathe vapours or spray mist.	
	Avoid exposure - obtain special instructions before use.	



Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018
	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work r Dispose of rinse water in accordance with local and nati regulations. Persons susceptible to skin sensitisation problems or as allergies, chronic or recurrent respiratory disease should be employed in any process in which this mixture is beir used. Always replace cap after use.	
Conditions for safe storage	 BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. De red-hot objects. No smoking. Keep in a dry, cool and well-ventila Observe label precautions. Electrical installations / working ma the technological safety standards. 	50 °C. Do not open by force o not spray on flames or ated place.
Materials to avoid	: Strong oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm	OSHA P0



Version	4.0

Revision Date 01/05/2018

Print Date 01/09/2018

			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
1,2,4-trimethylbenzene	95-63-6	TWA	25 ppm 125 mg/m3	NIOSH REL
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA PO
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
		PEL	5,000 ppm 9,000 mg/m3	CAL PEL
		STEL	30,000 ppm 54,000 mg/m3	CAL PEL
mesitylene	108-67-8	TWA	25 ppm 125 mg/m3	NIOSH REL
		TWA	25 ppm	ACGIH
		TWA	25 ppm 125 mg/m3	OSHA P0
		PEL	25 ppm 125 mg/m3	CAL PEL
cumene	98-82-8	TWA	50 ppm	ACGIH
		TWA	50 ppm 245 mg/m3	NIOSH REL
		TWA	50 ppm 245 mg/m3	OSHA Z-1
		TWA	50 ppm 245 mg/m3	OSHA P0
		PEL	50 ppm 245 mg/m3	CAL PEL
ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		STEL	125 ppm	ACGIH
		TWA	100 ppm 435 mg/m3	NIOSH REL
		ST	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z-1
		TWA	100 ppm 435 mg/m3	OSHA P0
		STEL	125 ppm 545 mg/m3	OSHA P0
		PEL	5 ppm 22 mg/m3	CAL PEL



ZEPRESERVENC AERO

Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018
	STEL	30 ppm CAL PEL 130 mg/m3

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
ETHYLBENZENE	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15.g/g creatinine	ACGIH BEI
ETHYLBENZENE		Ethylbenzen	In end-	Not		ACGIH BEI
		е	exhaled air	critical		

Engineering measures : effective ventilation in all processing areas

Personal protective equipment				
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.		
Hand protection				
Material		Protective gloves		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.		
Eye protection	:	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing		
		problems.		
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and		
		concentration of the dangerous substance at the work place.		
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: amber
Odour	: solvent-like
Odour Threshold	: No data available
рН	: Not applicable



ZEPRESERVE NC AERO

Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018
Melting point/freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	:	
	No data available	
Evaporation rate	: <1	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.85 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: > 20 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects



ZEPRESERVE NC AERO

Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018
Aggravated Medical Condition Symptoms of Overexposure	 None known. Symptoms may include irritation, re Symptoms of overexposure may in dizziness; and confusion. May pro paralysis, and convulsions. Effects are dependent on exposure contact time). 	nclude disorientation; gress to unconsciousness,
Carcinogenicity:		
IARC	Group 2B: Possibly carcinogenic to he	
ACGIH	cumene ethylbenzene Confirmed animal carcinogen with un humans ethanol	98-82-8 100-41-4 known relevance to 64-17-5
OSHA	ethylbenzene No component of this product present equal to 0.1% is on OSHA's list of reg	100-41-4 at levels greater than or julated carcinogens.
NTP	Reasonably anticipated to be a huma cumene	n carcinogen 98-82-8
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	g/kg
Acute inhalation toxicity	: Acute toxicity estimate : 24.04 mg/ Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	1
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	g/kg
Components:		
Distillates (petroleum), hyd Acute oral toxicity	rotreated heavy naphthenic: : LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 5 mg/l Exposure time: 4 h	
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg	
Distillates (petroleum), hyd Acute oral toxicity	rotreated light: : LD50 Rat: > 5,000 mg/kg	



ZEPRESERVE NC AERO

Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
2-ethylhexan-1-ol: Acute oral toxicity	: LD50 Oral Rat: 3,730 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 3,000 mg/kg	
Skin corrosion/irritation <u>Product:</u> Remarks: Irritating to skin.		
Serious eye damage/eye irritation Product: Remarks: Severe eye irritation		
Respiratory or skin sensitisation <u>Product:</u> Remarks: Causes sensitisation		
Germ cell mutagenicity No data available Carcinogenicity No data available		
Reproductive toxicity No data available		
STOT - single exposure No data available		
STOT - repeated exposure No data available Aspiration toxicity No data available		



Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

Further information

Product:

Remarks: No data available

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Components:

Distillates (petroleum), hydrotreated light: Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
ethanol : Partition coefficient: n- octanol/water	: Remarks: No data available
2-ethylhexan-1-ol : Partition coefficient: n- octanol/water	: Pow: 2.9
2-(2-butoxyethoxy)ethanol : Partition coefficient: n- octanol/water ethylbenzene :	: Pow: 1
Partition coefficient: n- octanol/water	: Pow: 3.6
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances



	Devision Data 04/05/0040	Drivet Date: 04/00/0040		
Version 4.0	Revision Date 01/05/2018	Print Date 01/09/2018		
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	fined by the U.S.		
Additional ecological : information	No data available			
<u>Components:</u> Distillates (petroleum), hydrotreated light:				
Additional ecological : information	No data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Gases under pressure Flammable (gases, aerosols, liquid Skin corrosion or irritation Serious eye damage or eye irritatio Respiratory or skin sensitisation Carcinogenicity Specific target organ toxicity (single	n	oosure)
SARA 313	: The following components are subj established by SARA Title III, Secti 1,2,4-trimethylbenzene 2-(2-butoxyethoxy)ethanol 2-butoxyethanol		evels 6.24 % 3.2465 % 0.0494 %

California Prop. 65



WARNING: This product can expose you to chemicals including cumene, ethylbenzene, benzene, naphthalene, which is/are known to the State of California to cause cancer, and toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

100-41-4

0.1008 %

The components of this product are reported in the following inventories:

ethylbenzene

DSL

This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL.



ZEPRESERVE NC AERO

Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

TSCA On TSCA Inventory


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3*
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness. Suspected of causing cancer.
Precautionary statements	· · · · · · · · · · · · · · · · · · ·
	 Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ protective clothing/ eye protection/face protection. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse. Storage: Store in a w ell-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501: Dispose of contents/container in accordance with local regulation.



ZEPRESERVE NC AERO

Version 4.0

Revision Date 01/05/2018

Print Date 01/09/2018

Version:	4.0
Revision Date:	01/05/2018
Print Date:	01/09/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.