



Be Right™

SAFETY DATA SHEET

Issue Date 12-Nov-2020

Revision Date
12-Nov-2020

Version 6.8

Page 1 / 15

1. IDENTIFICATION

Product identifier

Product Name 5500sc Reagent 1 Silica

Other means of identification

Product Code(s) 6774802

Safety data sheet number M00187

UN/ID no UN3264

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Silica determination.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 2 / 15



Hazard statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P270 - Do not eat, drink or smoke when using this product
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage

Other Hazards Known

Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	7 - 13%	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	7 - 13%	-
Molybdate (MoO ₄ ²⁻), dihydrogen, (T-4)-	7782-91-4	5 - 10%	-

4. FIRST AID MEASURES

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 3 / 15

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Sulfur oxides. Sodium oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Class IIIB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m ³ thoracic particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 5 / 15

Molybdate (MoO ₄ ²⁻), dihydrogen, (T-4)- CAS#: 7782-91-4	TWA: 0.5 mg/m ³ Mo respirable particulate matter	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 1000 mg/m ³ Mo
--	--	--	---------------------------------

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Color	Colorless to light yellow
Appearance	clear	Odor threshold	Not applicable
Odor	Odorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	< 2	@ 20 °C
Melting point/freezing point	~ -13 °C / 8.6 °F	
Boiling point / boiling range	~ 100 °C / 212 °F	
Evaporation rate	1.17 (water = 1)	
Vapor pressure	22.127 mm Hg / 2.95 kPa at 25 °C / 77 °F	
Vapor density (air = 1)	0.62 (Air = 1)	
Specific gravity (water = 1 / air = 1)	1.2	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 6 / 15

Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity No data available
Kinematic viscosity No data available

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

151.6 mm/yr / 5.97 in/yr

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, sodium salt (1:1)	7681-38-1	No data available	-
Molybdate (MoO4 ²⁻), dihydrogen, (T-4)-	7782-91-4	Not applicable	-

Explosive properties

Upper explosion limit

No data available

Lower explosion limit

No data available

Flammable properties

Flash point

> 100 °C / 212 °F

Method

CC (closed cup)

Flammability Limit in Air

Upper flammability limit

No data available

Lower flammability limit

No data available

Oxidizing properties

Not classified according to GHS criteria.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 7 / 15

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

Eye contact

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact

Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Based on available data, the classification criteria are not met

Product Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 8 / 15

<u>Endpoint type</u>	<u>Reported dose</u>	<u>Exposure time</u>	<u>Toxicological effects</u>	<u>Key literature references and sources for data</u>
Rat LD ₅₀	7099 mg/kg	None reported	None reported	Outside testing

Inhalation (Gas) Exposure Route

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

<u>Chemical name</u>	<u>Endpoint type</u>	<u>Reported dose</u>	<u>Exposure time</u>	<u>Toxicological effects</u>	<u>Key literature references and sources for data</u>
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	Rat LD ₅₀	2490 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Molybdate (MoO ₄ ²⁻), dihydrogen, (T-4)- (5 - 10%) CAS#: 7782-91-4	Rat LD ₅₀	2689 mg/kg	None reported	None reported	Vendor SDS

Dermal Exposure Route

Unknown Acute Toxicity

8.33% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	30,012.00 mg/kg
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Product Skin Corrosion/Irritation Data

Test data reported below.

<u>Test method</u>	<u>Species</u>	<u>Reported dose</u>	<u>Exposure time</u>	<u>Results</u>	<u>Key literature references and sources for data</u>
United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	0.5 mL	4 hours	Not corrosive to skin	Internal Data Outside testing

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

<u>Chemical name</u>	<u>Test method</u>	<u>Species</u>	<u>Reported dose</u>	<u>Exposure time</u>	<u>Results</u>	<u>Key literature references and sources for data</u>
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, sodium	Standard Draize	Rabbit	500 mg	4 hours	Not corrosive or	ECHA (The European

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 9 / 15

salt (1:1) (7 - 13%) CAS#: 7681-38-1	Test				irritating to skin	Chemicals Agency)
--	------	--	--	--	--------------------	-------------------

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	Standard Draize Test	Rabbit	100 mg	None reported	Eye irritant	ECHA (The European Chemicals Agency)

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Human TD _{Lo}	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 10 / 15

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Human TC _{Lo}	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, sodium salt (1:1)	7681-38-1	-	-	-	-
Molybdate (MoO ₄ ²⁻), dihydrogen, (T-4)-	7782-91-4	A3	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

Product Germ Cell Mutagenicity invivo Data

No data available.

Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 11 / 15

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Rabbit TC _{Lo}	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

8.33% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

Test data reported below.

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, sodium salt (1:1) (7 - 13%) CAS#: 7681-38-1	48 Hours	<i>Daphnia magna</i>	EC ₅₀	190 mg/L	IUCLID (The International Uniform Chemical Information Database)

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 12 / 15

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002

Special instructions for disposal Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.
DOT Technical Name Sulfuric acid
Hazard Class 8
Packing Group III
Reportable Quantity (RQ) Sulfuric acid: RQ kg= 3588.42
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III, RQ
Emergency Response Guide Number 154

TDG

UN/ID no UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.
TDG Technical Name Sulfuric acid
Hazard Class 8
Packing Group III
Description UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III

IATA

UN/ID no UN3264
Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.
IATA Technical Name Sulfuric acid
Hazard Class 8
Packing Group III
ERG Code 8L
Special precautions for user A3, A803

IMDG

UN/ID no UN3264
Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.
IMDG Technical Name Sulfuric acid
Hazard Class 8

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 13 / 15

Packing Group III
EmS-No F-A, S-B
Special precautions for user 223, 274
Marine pollutant No

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
Existing substances Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 14 / 15

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (7 - 13%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen



WARNING: This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095
Sulfuric acid, sodium salt (1:1)	180.0920	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Product Code(s) 6774802
Issue Date 12-Nov-2020
Version 6.8

Product Name 5500sc Reagent 1 Silica
Revision Date 12-Nov-2020
Page 15 / 15

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 1	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 1	Physical hazards - 0	Personal protection - X

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

ACGIH

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF

no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 12-Nov-2020

Revision Date 12-Nov-2020

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

End of Safety Data Sheet